

L Number	Hits	Search Text	DB	Time stamp
-	547	icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:15
-	1221	((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 12:38
-	46	((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and ((field value data information) near10 detect\$4) and (set\$4 near10 (bit byte field parameter\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 12:41
-	409	((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and ((field value data information) near10 detect\$4) and ((bit byte field parameter\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 12:40
-	30	((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and ((field value data information) near10 detect\$4) and (set\$4 near10 (bit byte field parameter\$4)) and ((field value data information) near9 (length size))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 13:50
-	27	((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and ((field value data information) near10 detect\$4) and (set\$4 near10 (bit byte field parameter\$4)) and ((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 12:49
-	11	((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and ((field value data information) near10 detect\$4) and (set\$4 near10 (bit byte field parameter\$4)) and ((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 15:44
-	134	((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 15:43
-	120	((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 15:51

-	4	(((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and ((field value data information) near10 detect\$4) and (set\$4 near10 (bit byte field parameter\$4)) and ((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) and (ping\$4 arp echo\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 15:47
-	3	(((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (match\$4 near10 address\$4 same destination same (physical logic\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 16:49
-	8	(((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (compar\$5 near10 address\$4 same destination same (physical logic\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 16:57
-	45	(((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (match\$4 near10 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 16:57
-	62	(((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 11:21
-	16	(((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (compar\$5 near10 address\$4 same destination)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 16:58
-	7	(((((ip (internet\$4 protocol)) near5 address\$4) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) near10 equal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 10:45
-	32	(((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 12:18
-	10	(((((ip (internet\$4 protocol)) near5 address\$4) near10 equal\$4) and ((mac(media adj3 control\$4)) near5 address\$4) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 12:18
-	1	(((((ip (internet\$4 protocol)) near5 address\$4) near10 equal\$4) and ((mac(media adj3 control\$4)) near5 address\$4) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 12:28

-	30	(((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:02
-	88	((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10 differ\$7) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:05
-	25	((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10 differ\$7) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:22
-	380	((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:17
-	7	((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10 equal\$4) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:13

-	8	((ip (internet\$4 protocol) logic\$2) near5 address\$4 near6 destination\$4 near10 equal\$4) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) (((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:25
-	26	((ip (internet\$4 protocol) logic\$2) near5 address\$4 near6 destination\$4 near10 differ\$7) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) (((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:31
-	159	((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))) and ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:25
-	86	((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))) and ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4) and ((configur\$4 set\$4) near10 ((ip (internet\$4 protocol)) near5 address\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:20
-	37	((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))) and ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 same (configur\$4 set\$4) near10 ((ip (internet\$4 protocol)) near5 address\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:23
-	60	((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))) and ((mac (media adj3 control\$4) physical\$4) near5 address\$4 near6 destination\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:35
-	11	((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4)) same ((mac (media adj3 control\$4) physical\$4) near5 address\$4 near6 destination\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:59
-	322	((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and ((echo\$4 messag\$4) same ((ip (internet\$4) near5 address\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 15:03

-	64	((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and ((echo\$4 messag\$4) same ((ip internet\$4) near5 address\$4 near10 (set setting)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 15:04
-	19	((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 address\$4 near10 (set setting))) and ((ip internet\$4) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 09:37
-	13	((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 address\$4 near10 (set setting)))) and (siz\$4 length\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 09:27
-	153	((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 11:13
-	16	((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4)) and ((ip internet\$4) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 11:03
-	9	((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3 liv\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 11:22
-	92	((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 13:12
-	28	((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 13:01
-	19	((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3 liv\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 13:01
-	34	((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4) near10 destination\$4) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 13:13
-	642	(set setting) near11 (predetermin\$6 near11 (data information parameter header)) and (icmp echo ping)	USPAT	2003/05/30 13:26
-	357	(set setting) near5 (predetermin\$6 near5 (data information parameter header)) and (icmp echo ping)	USPAT	2003/05/30 13:26
-	21	(set setting) near5 (predetermin\$6 near5 (data information parameter header)) same (icmp echo ping)	USPAT	2003/05/30 13:44
-	3	(set setting) near5 (predetermin\$6 near5 (data information parameter header)) and ((revers\$4 near4 (arp (address\$4 adj resolution adj protocol)) rarp))	USPAT	2003/05/30 13:47